

# ILC 130 STARTERKIT

Order No.: 2988515

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2988515>


ILC 130 starter kit including ILC 130 ETH, analog input AI module, control panel, power supply unit as well as accessories and cable with set up test application

## Ethernet

### Product notes

WEEE/RoHS-compliant since:  
06/29/2009



Commercial data	
GTIN (EAN)	 4 046356 462877
sales group	K221
Pack	1 pcs.
Customs tariff	85371091
Catalog page information	Page 21 (AX-2011)

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Product description

Test the highly communicative compact controller ILC 130 ETH! Small to medium function units can be automated cost-effectively with this compact controller. The compact controller is characterized by modular expandability, easy programming and high performance. We have created this starter kit to convince you of the capabilities of the ILC 130 ETH. It has digital and analog output and input terminals as well as simulation modules. In addition, sample projects for PC WORX EXPRESS and the web server are available to the user.

**Article Sets**

Item	Designation	Description
<b>Allgemein</b>		
2863944	IB IL AI 2/SF-ME	Inline analog input terminal, Inline ME variants (Machine Edition) complete with accessories (connector and labeling field), 2 inputs, 0-20 mA, 4-20 mA, $\pm 20$ mA, 0-10 V, $\pm 10$ V, 2-conductor connection system
2988803	ILC 130 ETH	Inline Controller with Ethernet interface for coupling to other controllers and systems, with programming options according to IEC 61131-3, complete with connector and labeling field.
2962997	UM 45-IB-DI/SIM8	8-way simulator

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2011 Phoenix Contact  
Technical modifications reserved;